

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Original) A method for the treatment of a cancer comprising co-administering an anti-tumor antibody and a cytokine to a subject in need thereof, wherein the cytokine is administered continuously or repeatedly in a low-dose form.
2. (Original) A method for the treatment of a cancer comprising co-administering an anti-tumor antibody and cytokine to a subject in need thereof, wherein the method comprises:
 - (a) a first treatment stage comprising administering a low-dose cytokine, and
 - (b) a second treatment stage comprising co-administering an anti-tumor antibody and a low-dose cytokine.
3. (Currently Amended) The method of claim 1 ~~or 2~~, wherein the low-dose cytokine comprises a dose which is pharmaceutically effective in the substantial absence of NIC CTC toxicity grade 3 or higher.
4. (Currently Amended) The method according to ~~any one of claims 1-3~~ claim 1 comprising a daily administration of a low-dose cytokine.

5. (Currently Amended) The method according to ~~any one of claims 1-4~~ claim 1 wherein the cytokine is selected from interleukins and interferons.
6. (Original) The method of claim 5 wherein the cytokine is IL-2.
7. (Original) The method of claim 6 wherein the dose of IL-2 is in the range of from 1-10 MIU daily.
8. (Original) The method of claim 5 wherein the cytokine is IFN- α .
9. (Original) The method of claim 8 wherein the dose of IFN- α is in the range of from 1-10 MIU three times a week.
10. (Currently Amended) The method of ~~any one of claims 1-9~~ claim 1 wherein the cytokine is administered in a substantially constant dose during the treatment.
11. (Currently Amended) The method of ~~any one of claims 1-9~~ claim 1 wherein the cytokine is administered in a variable dose during the treatment.
12. (Currently Amended) The method of ~~any one of claims 1-11~~ claim 1 wherein the cytokine is administered subcutaneously.

13. (Currently Amended) The method of ~~any one of claims 1-12~~ claim 1 wherein the antitumor antibody is selected from antibodies directed against the MN (G250) antigen.

14. (Currently Amended) The method of ~~any one of claims 1-13~~ claim 1 wherein the antitumor antibody is a chimeric or humanized G250 antibody or a fragment thereof.

15. (Currently Amended) The method of ~~any one of claims 1-14~~ claim 1 wherein the antitumor antibody is administered in intervals of from 5-20 days.

16. (Original) The method of claim 2 wherein the first treatment stage comprises 5-20 days.

17. (Original) The method of claim 2 wherein the second treatment stage comprises 50-200 days.